

Automotive, Honda, Mazda Technology – Required Tool List AY 2026-2027

Safety glasses will be required the first day of lab. You can purchase them wherever you like.

Work Shoes with non-slip soles (safety toe recommended)

1st semester

Tool Storage

– Small roll cabinet – not to exceed 36” in length

Test Equipment

- Fluke 17 B+ multimeter (example: <https://a.co/d/0b0MEg1e>)
- Hard carrying case for Fluke 17B+ (example: <https://a.co/d/0a00pY1d>)
- Test lead kit (example: <https://a.co/d/01px5T4C>)

Ratchets and Sockets

- ¼’ drive ratchet
- ¼” drive metric socket set (shallow) (5-14mm required)(6 point)
- ¼” drive metric socket set (deep) (5-14mm required) (6 point)
- ¼” drive ratchet and extensions (2”, 4”, 6” minimum)
- ¼” drive swivel adapter
- ¼” to 3/8 adapter
- 3/8” drive ratchet (flex head)(lockable)
- 3/8” breaker bar
- 3/8” drive extensions (3”, 6”, 12” minimum)
- 3/8” drive metric socket set (shallow) (8 – 19mm required) (6 point)
- 3/8” drive metric socket set (deep) (8 – 19mm required) (6 point)
- 3/8” drive swivel adapter
- 3/8” to ¼” adapter
- 3/8” to ½” adapter
- ½” to 3/8” adapter

- Spark plug socket 13/16”, 5/8”, 9/16”, 14mm
- ½” drive deep impact socket set
- metric (12mm – 24mm minimum) (6 point)
- Torx bit set for ¼” and 3/8” drive (T-8 – T-55)
- Torx external set (E-4 – E-18)
- Metric Allen Bit set
- Standard Allen bit set

Wrenches

- Metric combination wrench set (8mm
- 22mm & 24mm suggested) Not ratcheting, 12 point
- Oil filter wrench/s. (pliers and spider type. No band style)

Hammers

- Dead blow Ball-peen hammers (36 oz required)
- Dead blow hammer (32 oz.)
- Plastic hammer

Screwdrivers, ETC.

- Screwdriver set (to include blade and phillips)
- Magnetic pick-up tool
- Inspection mirror
- Small pick set

Pliers

- Needle-nose pliers
- Diagonal pliers (wire cutters)
- Combination pliers
- Channel-lock pliers
- Large 16” minimum channel lock pliers

– Wire crimper/stripper pliers

– Body clip pliers

Other

– Spark plug gap gauge

– Blow gun (OSHA approved)

– Flashlight with rechargeable batteries (LED, penlight style) 200 lumens and above

– ½” drive impact wrench (battery or air)

– Battery post cleaner (brush style)

– Utility Knife

– Digital Tire pressure gauge/inflator (all in 1 unit)

– 1/2” drive click type torque wrench or digital

– Tread depth gauge (dial type)

– Wire Brush

– Feeler gauge set, straight metric

– Feeler gauge set, bent metric Ratchets and Sockets

– ½” drive swivel adapter

2nd Semester

Ratchets and Sockets

– ½” drive shallow impact socket set

– metric (12mm – 24mm minimum) (6 point)

– ½” drive metric (chrome) socket set (deep) (12mm – 24mm minimum)(6 point)

– ½” drive breaker bar

– ½” drive ratchet (flex head)(lockable)

Test Equipment

– 12-volt test light ignition spark tester (able to test coil over ignition systems) (HEI)

- Tape Measure US and Metric
- Brake pad thickness measuring tool
- Digital Rotor Micrometer

Screwdrivers, ETC.

- Hose removal pick
- Scrapers (plastic and gasket)
- Tire valve core tool (handle type preferred)
- Angled pry bar with handle (12", 18", 24" set)

Wrenches

- Fractional flare nut wrench set (1/4" – 13/16") (double ended)
- Metric flare nut wrench set (9mm – 21mm) (double ended)

Pliers

- Vise grip plier set (including needle nose)
- Snap ring plier set (inner and outer) (Plier sets required over pliers with replaceable bits)
- Exhaust hanger pliers

Other

- Plastic trim tools
- Punch and chisel
- Hearing protection ear muff style
- Oxy/acetylene welding glasses set
- Welding gloves
- Stethoscope
- 10" mill file with handle
- 10" round file 3/8
- Impact driver 3/8